Full Size C/K HD Pickups and Chassis Cabs

Model Symbol Chart 1
General Information ..... See Light Duty BBM "General Information" section
General Instructions ..... See Light Duty BBM "General Instructions" section
Camper Loading ..... See Online Order/Ref. Guide – "GM Consumer Info. Truck-Camper Loading"
Pickup Box Removal ..... See Light Duty BBM "Special Applications – Pickup Box Removal Program" section
Snow Plow Prep. Pkg ..... See Light Duty BBM "Special Applications – Snow Plow Prep Package" section
Trailering Information. ..... See Light Duty Online Order/Ref. Guide – Light Duty "Trailering Specs"
Model and Option Weights ..... See Light Duty Online Order/Ref. Guide "Model & Opt. Weights" & "Weight Calculator"

VEHICLE
GENERAL ARRANGEMENT
- **Regular Cab** 3
- **Double Cab** 4
- **Crew Cab** 5
- **Double Cab** 6
- **Crew Cab** 7
- **Regular Cab Dually** 8
- **Regular Cab – Cab Chassis** 9
- **Crew Cab – Cab Chassis** 10

BODY, EXTERIOR
- **CARGO WEIGHT DISTRIBUTION**
  - **6'9" Box** 11
  - **8' Box** 12
  - **Chassis Cab** 13
- **BODY GENERAL ARRANGEMENT**
  - **C/K 20/30 (903), Crew Cab 8' Box** 14
  - **C/K 20753 Double Cab 6' 9" Box** 15
  - **C/K 20/30 (953), Double Cab 8' Box** 16
  - **C/K 20/30 (743), Crew Cab 6' 9" Box** 17
  - **C/K 20/30 (943), Crew Cab 8' Box** 18
  - **C/K 30903, Regular Cab 8' Box DRW** 19
  - **C/K 30953, Double Cab 8' Box DRW** 20
  - **C/K 30943, Crew Cab 8' Box DRW** 21

Full Size C/K HD Pickups and Chassis Cabs

BODY, EXTERIOR – *continued*

FRONT END CLIPS

C/K 20/30 (03/53/43) 22

HOOD OPENING

C/K 20/30 (03/53/43) 23

SIGN AREA

Regular Cab Pickup – C/K100/200/300 (03 24
Extended Cab Pickup – C/K100/200/300 (53) 25
Crew Cab Pickup – C/K 100/200/300 (43) 26

CAB STEP IN HEIGHTS

Regular Cab (03) 27
Extended Cab (53) 28
Crew Cab (43) 29

MIRRORS, OUTSIDE REARVIEW

C/K 2000 / 3000 Base D31/DLF & Opt. Trailering DUD,DBG,DWI,DZC Mirrors, Outside Rear-view 30

CHMSL AND ANTENNA

CHMSL and Antenna 31

CAB PRESSURE VALVE ASSEMBLY

Rear Quarter Body Panel 32

PICKUP BOX

Length and Width Dimension for Pickup Box – Al 33

CAB INTERIOR

SEATING POSITION AND H-POINT 1ST ROW FRONT VIEW PICKUPS

C/K 200/300 (03/53/43) 34
C/K 200/300 (03/53/43) 35

Full Size C/K HD Pickups and Chassis Cabs

CAB INTERIOR –*continued*

SEATING POSITION AND H-POINT SIDE VIEW PICKUPS

C/K 200/300 (03/53/43) 36

SEAT MOUNTING HOLES LOCATIONS – FLOOR

C/K 200/300 (03/53/43) 37

CHASSIS

DATUM HOLE LOCATION

C/K 200/300 (00) 38

FRAME RAIL AND CROSSMEMBER LOCATIONS

C/K 20/30743 39
C/K 20/30903 40
C/K 20/30753 41
C/K 20/30953 42
C/K 20/30743 43
C/K 20/30943 44
C/K 31003 45
C/K 31403 46
C/K 31043 47

SPARE TIRE LOCATION

C/K 20/3000 Series Pickups 48

PLATFORM HITCH

C/K 20/30 (03/53/43) Platform Hitch/GCWR 49

FRONT AXLE/TIRE DATA DRAWING

C/K 20/30 (000) Pickups and C/K 31 (000) Chassis-Cab 50
C/K 20/30 (000) Pickups and C/K 31 (000) Chassis-Cab 51

REAR AXLE/TIRE DATA DRAWING

C/K 20/30(000) Pickups 52
C/K 31(000)Chassis Cab 53
C/K 20/30(000) Pickups & Chassis Cab 54

Full Size C/K HD Pickups and Chassis Cabs

CHASSIS – *continued*

FUEL TANK & FILLER LOCATION

Fuel Tank (NM2) & Filler Location C/K 20/30903 L8T (Gas) Pickup 55
DEF – Fuel Tanks (NM2) & Filler Location C/K 20/30903 L5P (Diesel) Pickup 56
Fuel Tanks (NM2) & Filler Locations C/K 20/30743-53 L8T (Gas) Pickup 57
DEF – Fuel Tanks (NM2) & Filler Locations C/K 20/30743-53 L5P (Diesel) Pickup 58
Fuel Tank (N2N) & Filler Locations C/K 31003/043 L8T (Gas) Chassis Cab 59
DEF – Fuel Tank (N2N) & Filler Locations C/K 31003/043 L5P (Diesel) Chassis Cab 60
Fuel Tank (N2N) & Fuel Filler Locations C/K 31403 L8T (Gas) Chassis Cab 61
DEF – Fuel Tank (N2N) & Fuel Filler Locations C/K 31403 L5P (Diesel) Chassis Cab 62

EXHAUST SYSTEM

L8T (Gas) C/K 20/30 Series Pickups 63
L5P (Diesel) C/K 20/30 Series Pickups 64
L8T (Gas) C/K 20/30 Series (ZW9) Pickups 65
L5P (Diesel) C/K 20/30 Series (ZW9) Pickups 66
L8T (Gas) C/K 31003 Series Chassis Cab 67
L5P (Diesel) C/K 31003 Series Chassis Cab 68
L8T (Gas) C/K 31403 Series Chassis Cab 69
L5P (Diesel) C/K 31403 Series Chassis Cab 70
L8T (Gas) C/K 31403 Series Chassis Cab 71
L5P (Diesel) C/K 31403 Series Chassis Cab 72

MISC.

Integrated – PTO 20/30 Series (MGU) Pickups & Chassis Cab 73

Full Size C/K HD Pickups and Chassis Cabs

Model Symbol Chart

ENGINEERING MODEL	REGULAR CABS (03) 2 DOOR CHEVROLET / GMC		DOUBLE CABS (53) 4 DOOR CHEVROLET / GMC		CREW CABS (43) 4 DOOR CHEVROLET / GMC		GVWR (kg/lbs) GAS (L8T)	GVWR (kg/lbs) DIESEL (L5P)	WHEELBASE (mm/in)	CAB-TO-AXLE (mm/in)
C207-SRW			E63, 6.9" BOX				4491/9,900-4649/10,250	4491/9,900-4944/10,900	3795/149.4	1070.0/42.1
					E63, 6.9" BOX		4491/9,900-4695/10,350	4491/9,900-5012/11,050	4036/158.9	1070.0/42.1
C209-SRW C209 - ZW9	E63, 8.0" BOX	ZW9					4491/9,900-4604/10,150	4491/9,900-4876/10,750	3594/141.5	1403.0/55.2
			E63, 8.0" BOX	ZW9			4491/9,900-4717/10,400	4491/9,900-5035/11,100	4128/162.5	1403.0/55.2
					E63, 8.0" BOX	ZW9	4491/9,900-4763/10,500	4491/9,900-5080/11,200	4369/172	1403.0/55.2
C307-SRW					E63, 6.9" BOX		4990/11,000	5330/11,750	4061/158.9	1070.0/42.1
C309-SRW C309 - ZW9	E63,8.0"BOX	ZW9					4876/10,750	5216/11,500	3594/141.5	1403.0/55.2
			E63, 8.0" BOX	ZW9			5035/11,100	5375/11,850	4128/162.5	1403.0/55.2
					E63, 8.0" BOX	ZW9	5058/11,150	5398/11,900	4369/172	1403.0/55.2
C309-DRW C309 - ZW9	E63,8.0"BOX	ZW9					6350/14,000	6350/14,000	3594/141.5	1403.0/55.2
			E63, 8.0" BOX	ZW9			6350/14,000	6350/14,000	4128/162.5	1403.0/55.2
					E63, 8.0" BOX	ZW9	6350/14,000	6350/14,000	4369/172	1403.0/55.2
C310-DRW		ZW9		N/A			6350/14,000	6350/14,000	3716/146.3	1524.0/60.0
				N/A		ZW9	6350/14,000	6350/14,000	4490/176.8	1524.0/60.0
C314-DRW		ZW9		N/A			6350/14,000	6350/14,000	4338/170.8	2146.0/84.5

E63 – Fleetside / Wideside Box (5' 8", 6.9' and 8' Boxes)
ZW9 – ChassisCab & Pickups w/Factory Box Delete ('Box Removal' APPROVED- See "Special Applications"
EXAMPLE: C20903 = 2 DOOR REGULAR CAB / FLEETSIDE/WIDESIDE / 8' BOX

Full Size C/K HD Pickups and Chassis Cabs

Model Symbol Chart (continued)

ENGINEERING MODEL	REGULAR CABS (03) 2 DOOR CHEVROLET / GMC		DOUBLE CABS (53) 4 DOOR CHEVROLET / GMC		CREW CABS (43) 4 DOOR CHEVROLET / GMC		GVWR (kg/lbs) GAS (L8T)	GVWR (kg/lbs) DIESEL (L5P)	WHEELBASE (mm/in)	CAB-TO-AXLE (mm/in)
K207-SRW			E63, 6.9" BOX				4491/9900-4785/10,550	4491/9900-5080/11,200	3795/149.4	1070.0/42.1
					E63, 6.9" BOX		4491/9900-4831/10,650	4491/9900-5103/11,250	4036/158.9	1070.0/42.1
K209-SRW K209 - ZW9	E63, 8.0" BOX	ZW9					4491/9900-4740/10,450	4491/9900-5035/11,100	3594/141.5	1403.0/55.2
			E63, 8.0" BOX	ZW9			4491/9900-4876/10,750	4491/9900-5194/11,450	4128/162.5	1403.0/55.2
					E63, 8.0" BOX	ZW9	4491/9900-4921/10,850	4491/9900-5239/11,550	4369/172	1403.0/55.2
K307-SRW					E63, 6.9" BOX		5148/11,350	5488/12,100	4061/158.9	1070.0/42.1
K309-SRW K309 - ZW9	E63, 8.0" BOX	ZW9					5035/11,100	5352/11,800	3594/141.5	1403.0/55.2
			E63, 8.0" BOX	ZW9			5171/11,400	5511/12,150	4128/162.5	1403.0/55.2
					E63, 8.0" BOX	ZW9	5216/11,500	5557/12,250	4369/172	1403.0/55.2
K309-DRW K309 - ZW9	E63, 8.0" BOX	ZW9					6350/14,000	6350/14,000	3594/141.5	1403.0/55.2
			E63, 8.0" BOX	ZW9			6350/14,000	6350/14,000	4128/162.5	1403.0/55.2
					E63, 8.0" BOX	ZW9	6350/14,000	6350/14,000	4369/172	1403.0/55.2
K310-DRW		ZW9	N/A				6350/14,000	6350/14,000	3716/146.3	1524.0/60.0
				N/A		ZW9	6350/14,000	6350/14,000	4490/176.8	1524.0/60.0
K314-DRW		ZW9	N/A		N/A		6350/14,000	6350/14,000	4338/170.8	2146.0/84.5

E63 – Fleetside / Wideside Box (5' 8", 6.9' and 8' Boxes)
ZW9 – Chassis Cab & Pickups w/Factory Box Delete ('Box Removal' APPROVED - See "Special Applications")

Full Size C/K HD Pickups and Chassis Cabs

Regular Cab – General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

Double Cab – General Arrangement





GENERAL ARRANGEMENT C/K 20753, 6'9" BOX CHEVY

[]=INCHES

ANB32122.8

Full Size C/K HD Pickups and Chassis Cabs

Crew Cab – General Arrangement



GENERAL ARRANGEMENT C/K 20730743, 6'9" BOX, CHEVY

[]=INCHES

ANB32122.7

Full Size C/K HD Pickups and Chassis Cabs

Double Cab – General Arrangement



GENERAL ARRANGEMENT C/K 20930953, 8' BOX, CHEVY

[]=INCHES

ANB32122.8

Full Size C/K HD Pickups and Chassis Cabs

Crew Cab – General Arrangement



Revised Date: 11/18/2019

Full Size C/K HD Pickups and Chassis Cabs

Regular Cab Dually – General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

Regular Cab – Cab Chassis – General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

Crew Cab – Cab Chassis – General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

Body/Cargo Weight Distribution 6'9" Box



					BODY/CARGO WEIGHT DISTRIBUTION	
MODEL	L101(WB)	L404(CA)	L504(CB)	L507(BL)	% FRONT AXLE	% REAR AXLE
CK2520753	4037.0 [158.94"]	1071.0 [42.16"]	25.4 [1.0"]	2333.9 [91.9"]	1	99
CK2030743	3795.0 [149.41"]	1071.0 [42.16"]	25.4 [1.0"]	2333.9 [91.9"]	1	99

NOTE : DIMENSIONS SHOWN ARE NOMINAL.
L404 = TO REAR AXLE DIMENSION
L504 = CLEARANCE BETWEEN BODY AND CAB
L507 = LENGTH
L101 = WHEELBASE

$$\frac{\text{CENTER OF GRAVITY PAYLOAD TO REAR AXLE}}{\text{WHEELBASE}} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{L404 - L504 - (L507/2)}{L101(WB)} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

BODY/CARGO WEIGHT DISTRIBUTION CK200/300 03/43/53, 6'9' BOX.

[]=INCHES

ANC07766.3

Full Size C/K HD Pickups and Chassis Cabs

Body/Cargo Weight Distribution 8' Box



MODEL	L101(WB)	L404(CA)	L504(CB)	L507(BL)	BODY/CARGO WEIGHT DISTRIBUTION % FRONT AXLE	BODY/CARGO WEIGHT DISTRIBUTION % REAR AXLE
CK20903 CK30903	3595.0 [141.53"]	1403.0 [55.24"]	25.4 [1.0"]	2740.9 [107.91"]	3	97
CK20943 CK30943	4369.0 [172.00"]	1403.0 [55.24"]	25.4 [1.0"]	2740.9 [107.91"]	3	97
CK20953 CK30953	4127.0 [162.48"]	1403.0 [55.24"]	25.4 [1.0"]	2740.9 [107.91"]	3	97

NOTE : DIMENSIONS SHOWN ARE NOMINAL.
L404 = TO REAR AXLE DIMENSION
L504 = CLEARANCE BETWEEN BODY AND CAB
L507 = LENGTH
L101 = WHEELBASE

$$\frac{\text{CENTER OF GRAVITY PAYLOAD TO REAR AXLE}}{\text{WHEELBASE}} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{L404 - L504 - (L507/2)}{L101(WB)} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

BODY/CARGO WEIGHT DISTRIBUTION CK200/300 03/43/53, 8.0' BOX. []=INCHES ANC07766.5

Full Size C/K HD Pickups and Chassis Cabs

Body/Cargo Weight Distribution Chassis Cab



BODY PAYLOAD DISTRIBUTION % FRONT / REAR									
BODY LENGHT-FEET									
MODEL	L101(WB)	L404(CA)	L504(CB)	8	9	10	11	12	13
CK 3003	3716.0 [146.29"]	1524.0 [60.00"]	76.2 [3.0"]	7/93	2/98				
CK 3043	4490.0 [176.77"]	1524.0 [60.00"]	76.2 [3.0"]	6/94	2/98				
CK 3403	4338.0 [170.78"]	2146.0 [84.49"]	76.2 [3.0"]	21/79	17/83	14/86	10/90	6/94	2/98
WITH 24 INCH COMPARTMENT CAB									
CK 3003	3716.0 [146.29"]	1524.0 [60.00"]	76.2 [3.0"]	6/94	1/99				
CK 3043	4490.0 [176.77"]	1524.0 [60.00"]	76.2 [3.0"]	5/95	1/99				
CK 3403	4338.0 [170.78"]	2146.0 [84.49"]	76.2 [3.0"]	20/80	16/84	12/88	9/91	5/95	1/99

$$\frac{\text{CENTER OF GRAVITY PAYLOAD TO REAR AXLE}}{\text{WHEELBASE}} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{L404 - L504 - (L507/2)}{L101(WB)} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

NOTE : DIMENSIONS SHOWN ARE NOMINAL.
L404 = TO REAR AXLE DIMENSION
L504 = CLEARANCE BETWEEN BODY AND CAB
L507 = LENGTH
L101 = WHEELBASE

BODY/CARGO WEIGHT DISTRIBUTION CK 3403 03/53, CHASSIS CAB.

[]=INCHES

ANC07766.6

Full Size C/K HD Pickups and Chassis Cabs

C/K 20/30 (903), Regular Cab 8' Box – Body General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

C/K 20753 Double Cab 6' 9" Box – Body General Arrangement



GENERAL ARRANGEMENT CHEVY (DOUBLE CAB 6'9" PUBX CK 20753 149.4 WHEELBASE

[]=INCHES

ANB32122.7

Full Size C/K HD Pickups and Chassis Cabs

C/K 20/30 (953), Double Cab 8' Box – Body General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

C/K 20/30 (743), Crew Cab 6' 9" Box – Body General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

C/K 20/30 (943), Crew Cab 8' Box – Body General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

C/K 30903, Regular Cab 8' Box DRW – Body General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

C/K 30953, Double Cab 8' Box DRW – Body General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

C/K 30943, Crew Cab 8' Box DRW – Body General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

C/K 20/30 (03/53/43) – Front End Clips



CHEVROLET C/K 20/30 03/43/53



GMC C/K 20/30 03/43/53

CK 20/30 & X88/Z88

[]=INCHES

ANB43157.4

Full Size C/K HD Pickups and Chassis Cabs

C/K 20/30 (03/53/43) – Hood Openings



CK 20/30 X88: CHEVROLET



CK 20/30 Z88: GMC

CK 20/30 & X88/Z88

CB []=INCHES

ANC48308.4

Full Size C/K HD Pickups and Chassis Cabs

Regular Cab Pickup – C/K 100/200/300 (03) – Sign Area



REGULAR CAB SIGN AREA CK20/30903 SHOWN

[]=INCHES

ANC41481.6

Full Size C/K HD Pickups and Chassis Cabs

Extended Cab Pickup – C/K 100/200/300 (53) – Sign Area



TRUCK DOUBLE CAB SIGN AREA 20/30753 SHOWN

[]=INCHES

ANC41481.7

Full Size C/K HD Pickups and Chassis Cabs

Crew Cab Pickup – C/K 100/200/300 (43) – Sign Area



TRUCK CREW CAB SIGN AREA 20/30743 SHOWN

[]=INCHES

ANC41481.7

Full Size C/K HD Pickups and Chassis Cabs

Regular Cab (03) – Cab Step in Heights



CK 20903 SHOWN

MODEL	L101 (WB)	H130 -1	A106 -1	A147	A106 -2
CK 20903	3594 (141.5)	683 (26.8)	24	20.3	21.3
CK 30903	3594 (141.5)	691 (27.2)	24.5	21	21.9
CK 31003	3713 (146.3)	696 (27.4)	23.7	20.8	29
CK 31403	4338 (170.8)	689 (27.1)	23.8	18.8	28.7

*Completed Vehicle

STEP IN HEIGHT FOR CK200300 03 BASE VEHICLE @ CURB []=INCHES ANC10189.3

Revised Date: 11/18/2019

Full Size C/K HD Pickups and Chassis Cabs

Extended Cab (53) – Cab Step in Heights



CK 20753 SHOWN

MODEL	L101(WB)	H130-1	H130-2	A106-1	A147	A106-2
CK 20753	3795 (149.4)	679 (26.7)	686 (27.0)	24	19.5	22.2
CK 20953	4128 (162.5)	676 (26.6)	682 (26.8)	24.1	18.6	20.8
CK 30953	4128 (162.5)	685 (26.9)	714 (28.11)	26.3	20.4	22

*Completed Vehicle

STEP IN HEIGHT FOR CK200300 53

BASE VEHICLE @ CURB

[]=INCHES

ANC10189.4

Full Size C/K HD Pickups and Chassis Cabs

Crew Cab (43) – Cab Step in Heights



CK 20743 SHOWN

MODEL	L101 (WB)	H130-1	H130-2	A106-1	A147	A106-2
CK 20743	4036 (158.9)	676 (26.6)	687 (27.0)	24.1	18.7	21.9
CK 30743	4061 (158.9)	703 (27.6)	714 (28.1)	26.3	20.7	23.2
CK 30943	4369 (172)	700 (27.5)	709 (27.9)	26.4	19.8	21.7
CK 31043	4490 (176.8)	687 (27.0)	704 (27.7)	24	18.5	28.4

*Completed Vehicle

STEP IN HEIGHT FOR CK200300 43 BASE VEHICLE @ CURB []=INCHES ANC10189.5

Revised Date: 11/18/2019

Full Size C/K HD Pickups and Chassis Cabs

C/K 2000 / 3000 Base D31/DLF & Opt. Trailering DUD,DBG,DWI,DZC Mirrors, Outside Rear-view



* CL8 CHEVY TRUCK 20/30 SERIES



* CL8 GMC TRUCK 20/30 SERIES

ALL DIMENSIONS SHOWN FOR CHEVY
BASE MODEL UNLESS OTHERWISE NOTED

CK 2000 3000 SERIES TRUCK

[]=INCHES

ANC22057.5

Full Size C/K HD Pickups and Chassis Cabs

CHMSL and Antenna



Full Size C/K HD Pickups and Chassis Cabs

Rear Quarter Body Panel – Cab Pressure Valve Assembly



CK 200300 034353

[]=INCHES

ANC27961.3

Full Size C/K HD Pickups and Chassis Cabs

Length and Width Dimension for Pickup Box – All



	L404	L505	L506	L507
C/K 6.6 FT	1071.0 [42.16]	2089.0 [82.24]	2038.0 [80.23]	2333.9 [91.88]
C/K 8.0 FT	1403.0 [55.23]	2496.0 [98.26]	2445.0 [96.25]	2740.9 [107.909]

C/K 6'9" AND 8'0" PICKUP BOX

Full Size C/K HD Pickups and Chassis Cabs

Seating Position and H-Point 1st Row Front View Pickups – C/K 200/300 (03/53/43)



FRONT SEAT 40/20/40
CK 200/300 (03/43/53)

GENERAL ARRANGEMENT CHEVY CK200/300 []=INCHES ANC 32358.3

Full Size C/K HD Pickups and Chassis Cabs

Seating Position and H-Point 2nd Row Front View Pickups – C/K 200/300 (03/53/43)



REAR SEAT 60/40
CK 200/300 (03/43/53)

GENERAL ARRANGEMENT CHEVY CK200/300 []=INCHES ANC 32358.4

Full Size C/K HD Pickups and Chassis Cabs

Seating Position and H-Point Side View Pickups – C/K 200/300 (03/53/43)



CK200/300 53 SHOWN



CK 200/300 43 SHOWN

GENERAL ARRANGEMENT CHEVY CK200/300 []=INCHES ANC 32358.5

Full Size C/K HD Pickups and Chassis Cabs

C/K 200/300 (03/53/43) – Seat Mounting Holes Locations – Floor



Full Size C/K HD Pickups and Chassis Cabs

C/K 200/300 (00) – Datum Hole Location



GMT CK 20/30 FRAME DATUM LOCATION

[]=INCHES ANC30752.3

Full Size C/K HD Pickups and Chassis Cabs

C/K 20/30743 – Frame Rail and Crossmember Locations



Revised Date:12/16/2019

Full Size C/K HD Pickups and Chassis Cabs

C/K 20/30903 – Frame Rail and Crossmember Locations



Revised Date:12/16/2019

Full Size C/K HD Pickups and Chassis Cabs

C/K 20/30753 – Frame Rail and Crossmember Locations



Revised Date:12/16/2019

Full Size C/K HD Pickups and Chassis Cabs

C/K 20/30953 – Frame Rail and Crossmember Locations



Full Size C/K HD Pickups and Chassis Cabs

C/K 20/30743 – Frame Rail and Crossmember Locations



Full Size C/K HD Pickups and Chassis Cabs

C/K 20/30943 – Frame Rail and Crossmember Locations



Revised Date:12/16/2019

Full Size C/K HD Pickups and Chassis Cabs

C/K 31003 – Frame Rail and Crossmember Locations



Full Size C/K HD Pickups and Chassis Cabs

C/K 31403 – Frame Rail and Crossmember Locations



Revised Date:12/16/2019

Full Size C/K HD Pickups and Chassis Cabs

C/K 31043 – Frame Rail and Crossmember Locations



Revised Date:12/16/2019

Full Size C/K HD Pickups and Chassis Cabs

C/K 20/3000 Series Pickups – Spare Tire Location



SPARE TIRE TRUCK 20/3000 SERIES

[]=INCHES

ANC39360.4

Full Size C/K HD Pickups and Chassis Cabs

C/K 20/30 (03/53/43) Platform Hitch/GCWR

2020 VEHICLE W / TRAILER RATING

SERIES	ENGINE	GCWR	TRANS-RPO
200	L8T	24,000 LBS	MYD
200	L5P	27,500 LBS	MGM
300	L8T	24,000 LBS	MYD
300	L5P	29,700 LBS	MGM
*300	L8T	24,000 LBS	MYD
*300	L5P	40,000 LBS	MGM
*310	L8T	24,000 LBS	MYD
*310	L5P	40,000 LBS	MGM

* DUAL REAR WHEEL(DRW)



C/K 20/30 03/43/53

[]=INCHES

ANB84248.3

Full Size C/K HD Pickups and Chassis Cabs

Front Axle/Tire Data Drawing – C/K 20/30 (000) Pickups and C/K 31 (000) Chassis-Cab



VYU = SNOW PLOW
ZW9 = BODY EQUIPMENT BASE BODY OR CHASSIS
Z85 = CHASSIS PACKAGE INCREASED CAPACITY
Z83 = CHASSIS PACKAGE SMOOTH RIDE
E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX
Z71 = CHASSIS PACKAGE OFF ROAD
GTY = AXLE WIDE TRACK

*MINIMUM GROUND CLEARANCE TO BE CALCULATED BY USING GROSS AXLE WEIGHT AND RECOMMENDED TIRE PRESSURE

200/300 SERIES FRONT AXLE/TIRE DATA

[]=INCHES

ANB46140.4

Full Size C/K HD Pickups and Chassis Cabs

Front Axle/Tire Data Drawing – C/K 20/30(000) Pickups and C/K 31(000) Chassis-Cabs

SERIES	Tire RPOs	SLR	WHEEL/AXLE					TIRE			H148-1 Ground Clearance
			Size	Offset	Rear Wheel	W102-1 Track	W101-1 Tread Width	Size	Max Width	Max GVWR	
CK20753	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1738	1731.4	LT245/75,265/70R17E	266/281	10,900	240
CK20743	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1738	1731.4	LT245/75,265/70R17E	266/281	11,050	242
CK20903	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1738	1731.4	LT245/75,265/70R17E	266/281	10,750	242
CK20953	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1738	1731.4	LT245/75,265/70R17E	266/281	11,100	239
CK20943	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1738	1731.4	LT245/75,265/70R17E	266/281	11,200	239
CK20753	QF6,ZYG-AT	401	18x8	44	Single	1738	1731.4	LT275/70R18E	293	10,900	240
CK20/30743	QF6,ZYG-AT	401	18x8	44	Single	1738	1731.4	LT275/70R18E	293	11,050/11,750	242/266
CK20/30903	QF6,ZYG-AT	401	18x8	44	Single	1738	1731.4	LT275/70R18E	293	10,750/11,500	242/268
CK20/30953	QF6,ZYG-AT	401	18x8	44	Single	1738	1731.4	LT275/70R18E	293	11,100/11,850	239/266
CK20/30943	QF6,ZYG-AT	401	18x8	44	Single	1738	1731.4	LT275/70R18E	293	11,200/11,900	239/265
CK20753	QF9	413	20x8.5	47	Single	1738	1731.4	LT275/65R20E	298	10,900	240
CK20/30743	QF9	413	20x8.5	47	Single	1738	1731.4	LT275/65R20E	298	11,050/11,750	242/266
CK20/30903	QF9	413	20x8.5	47	Single	1738	1731.4	LT275/65R20E	298	10,750/11,500	242/268
CK20/30953	QF9	413	20x8.5	47	Single	1738	1731.4	LT275/65R20E	298	11,100/11,850	239/266
CK20/30943	QF9	413	20x8.5	47	Single	1738	1731.4	LT275/65R20E	298	11,200/11,900	239/265
CK30903	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1748	1741.3	LT235/80R17E	247	14,000	248
CK30953	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1748	1741.3	LT235/80R17E	247	14,000	246
CK30943	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1748	1741.3	LT235/80R17E	247	14,000	246
CK31003	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1748	1741.3	LT235/80R17E	247	14,000	244
CK31043	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1748	1741.3	LT235/80R17E	247	14,000	243
CK31403	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1748	1741.3	LT235/80R17E	247	6	242

SLR = C/L FRONT Axle at EPA (Avg of Min/Max Curb, base equipment)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

Full Size C/K HD Pickups and Chassis Cabs

Rear Axle/Tire Data Drawing – C/K 20/30(000) Pickups





SECTION C-C
ROTATED 90°

A = TRACK + F
B = TRACK - F

VYU = SNOW PLOW
ZW9 = BODY EQUIPMENT BASE BODY OR CHASSIS
Z85 = CHASSIS PACKAGE INCREASED CAPACITY
E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX
Z71 = CHASSIS PACKAGE OFF ROAD

RING GEAR	G
[11.5] DIA.	191.5 [7.54]

* MAX GROWN TIRE RADIUS ON NARROWEST RIM
** MAX GROWN TIRE WIDTH ON WIDEST RIM
TIRE CHAINS NOT INCLUDED

TRUCKS REAR AXLE/TIRE DATA 200/300 SERIES

[]=INCHES

ANB46140.4

Full Size C/K HD Pickups and Chassis Cabs

Rear Axle/Tire Data Drawing – C/K 31(000) Chassis Cab





SECTION D-D
ROTATED 90°

* MAX GROWN TIRE RADIUS
** MAX GROWN TIRE WIDTH

SINGLE WHEELS
A = TRACK + F
B = TRACK - F

DUAL WHEELS
A = TRACK + F
B = TRACK - F

VYU = SNOW PLOW
ZW9 = BODY EQUIPMENT BASE BODY OR CHASSIS
Z85 = CHASSIS PACKAGE INCREASED CAPACITY
E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX
Z71 = CHASSIS PACKAGE OFF ROAD
GTY = AXLE WIDE TRACK

RING GEAR	G
[11.5] DIA.	191.5 [7.54]
[11.5] DIA.	186.5 [7.34]

* GTY 3100 SERIES
* GTY 3100 SERIES

Full Size C/K HD Pickups and Chassis Cabs

Rear Axle/Tire Data Chart – C/K 20/30(000) Pickups & Chassis Cab

SERIES	Tire RPOs	SLR	WHEEL/AXLE					TIRE				JOUNCE				GROUND		
			Size	Offset	Rear Wheel	W102-2 Track	W101-2 Max Tread	Size	F ' Max Width	Max GVWR	B ' / wGTY	C ' / wGTY	D '	E '	H '	H148-2	H156	H E'
CK20753	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1736	1736	LT245/75,265/70R17E	266/281	10,900	1452	142.6	199.5	399.5	n/a	198	259	860
CK20743	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1736	1736	LT245/75,265/70R17E	266/281	11,050	1452	142.6	199.5	399.5	n/a	197	257	860
CK20903	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1736	1736	LT245/75,265/70R17E	266/281	10,750	1452	142.6	199.5	399.5	n/a	199	259	860
CK20953	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1736	1736	LT245/75,265/70R17E	266/281	11,100	1452	142.6	199.5	399.5	n/a	220	200	860
CK20943	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1736	1736	LT245/75,265/70R17E	266/281	11,200	1452	142.6	199.5	399.5	n/a	197	257	860
CK20753	QF6,ZYG-AT	401	18x8	44	Single	1736	1736	LT275/70R18E	293	10,900	1427	TBD	TBD	TBD	n/a	TBD	TBD	879
CK20/30743	QF6,ZYG-AT	401	18x8	44	Single	1736	1736	LT275/70R18E	293	11,050/11,750	1427	TBD	TBD	TBD	n/a	TBD	TBD	879
CK20/30903	QF6,ZYG-AT	401	18x8	44	Single	1736	1736	LT275/70R18E	293	10,750/11,500	1427	TBD	TBD	TBD	n/a	TBD	TBD	879
CK20/30953	QF6,ZYG-AT	401	18x8	44	Single	1736	1736	LT275/70R18E	293	11,100/11,850	1427	TBD	TBD	TBD	n/a	TBD	TBD	879
CK20/30943	QF6,ZYG-AT	401	18x8	44	Single	1736	1736	LT275/70R18E	293	11,200/11,900	1427	TBD	TBD	TBD	n/a	TBD	TBD	879
CK20753	QF9	413	20x8.5	47	Single	1736	1736	LT275/65R20E	298	10,900	1411	TBD	TBD	TBD	n/a	TBD	TBD	892
CK20/30743	QF9	413	20x8.5	47	Single	1736	1736	LT275/65R20E	298	11,050/11,750	1411	TBD	TBD	TBD	n/a	TBD	TBD	892
CK20/30903	QF9	413	20x8.5	47	Single	1736	1736	LT275/65R20E	298	10,750/11,500	1411	TBD	TBD	TBD	n/a	TBD	TBD	892
CK20/30953	QF9	413	20x8.5	47	Single	1736	1736	LT275/65R20E	298	11,100/11,850	1411	TBD	TBD	TBD	n/a	TBD	TBD	892
CK20/30943	QF9	413	20x8.5	47	Single	1736	1736	LT275/65R20E	298	11,200/11,900	1411	TBD	TBD	TBD	n/a	TBD	TBD	892
CK30903	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1904.7	1904.7	LT235/80R17E	247	14,000	1385.8	109.5	187.8	403.8	519	205	264	881
CK30953	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1904.7	1904.7	LT235/80R17E	247	14,000	1385.8	109.5	187.8	403.8	519	205	264	881
CK30943	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1904.5	1904.5	LT235/80R17E	247	14,000	1385.8	109.5	187.8	403.8	519	205	264	881
CK31003	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1745.5	1745.5	LT235/80R17E	247	14,000	1226.5/1385.8	141.5/221	216	403.8	519	207	261	892
CK31043	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1745.5	1745.5	LT235/80R17E	247	14,000	1226.5/1385.8	141.5/221	216	403.8	519	207	261	879
CK31403	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1745.5	1745.5	LT235/80R17E	247	14,000	1226.5/1385.8	141.5/221	216	403.8	519	207	261	886

***W/Diesel**
HE = REAR `Top of Frame' Max Curb (base equipment)
SLR = C/L REAR Axle at EPA (Avg of Min/Max Curb, base equipment)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

Revised Date: 11/18/2019

Full Size C/K HD Pickups and Chassis Cabs

Fuel Tank (NM2) & Filler Location C/K 20/30903 L8T (Gas) Pickup



FUEL TANK (NM2) & FUEL FILLER LOCATION
C/K 200/300 L8T

[]=INCHES

ANF27641.4

Full Size C/K HD Pickups and Chassis Cabs

DEF – Fuel Tanks (NM2) & Filler Location C/K 20/30903 L5P (Diesel) Pickup



Full Size C/K HD Pickups and Chassis Cabs

Fuel Tanks (NM2) & Filler Locations C/K 20/30743-53 L8T (Gas) Pickup



Full Size C/K HD Pickups and Chassis Cabs

DEF – Fuel Tanks (NM2) & Filler Locations C/K 20/30743-53 L5P (Diesel) Pickup



FUEL TANK (NM2) & FUEL FILLER LOCATION
C/K 20/30743-53 L5P

[]=INCHES

ANF27641.3

Full Size C/K HD Pickups and Chassis Cabs

Fuel Tank (N2N) & Filler Locations C/K 31003/043 L8T (Gas) Chassis Cab



Full Size C/K HD Pickups and Chassis Cabs

DEF – Fuel Tank (N2N) & Filler Locations C/K 31003/043 L5P (Diesel) Chassis Cab



Full Size C/K HD Pickups and Chassis Cabs

Fuel Tank (N2N) & Filler Locations C/K 31403 L8T (Gas) Chassis Cab



Full Size C/K HD Pickups and Chassis Cabs

DEF – Fuel Tank (N2N) & Filler Locations C/K 31403 L5P (Diesel) Chassis Cab



FUEL TANK (N2N) & FUEL FILLER LOCATION
C/K 31403 L5P(DIESEL)

[]=INCHES

ANF27641.3

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Exhaust System L8T (Gas) C/K 20/30 Series Pickups

MODEL	L101
CK 207 53	3795 (149.4)
CK 207,307 43	4036 (158.9)
CK 209,309 03	3594 (141.5)
CK 209,309 43	4369 (172.0)
CK 209/309 53	4128 (162.5)

(SHOWN)





EXHAUST SYSTEM L8T
CK20/30 SERIES PICKUPS

[]=INCHES

ANF42899.6

Full Size C/K HD Pickups and Chassis Cabs

Exhaust System L5P (Diesel) C/K 20/30 Series Pickups

MODEL	L101
CK 207 53	3795 (149.4)
CK 207,307 43	4036 (158.9)
CK 209,309 03	3594 (141.5)
CK 209,309 43	4369 (172.0)
CK 209/309 53	4128 (162.5)



BODY MOUNTINGS COMPONENTS OR ACCESSORIES INSTALLATIONS AND CHASSIS MODIFICATIONS SHOULD NOT IMPEDE SERVICE TECHNICIAN'S ABILITY TO REMOVE AND OR SERVICE DIESEL PARTICULATE FILTER (DPF)

EXHAUST SYSTEM L5P Diesel
CK20/30 SERIES PICKUPS

[]=INCHES

ANF42899.6

Exhaust System L8T (Gas) C/K 20/30 Series (ZW9) Pickups

MODEL	L101
CK 209,309 03	3594 (141.5)
CK 209,309 43 (SHOWN)	4369 (172.0)
CK 209,309 53	4128 (162.5)





EXHAUST SYSTEM L8T
CK20/30 SERIES PICKUPS

[]=INCHES

ANF42899.6

Exhaust System L5P (Diesel) C/K 20/30 Series (ZW9) Pickups

MODEL	L101
CK 209,309 03	3594 (141.5)
CK 209,309 43	4369 (172.0)
CK 209,309 53	4128 (162.5)

(SHOWN)



BODY MOUNTINGS COMPONENTS OR ACCESSORIES INSTALLATIONS AND CHASSIS MODIFICATIONS SHOULD NOT IMPEDE SERVICE TECHNICIAN'S ABILITY TO REMOVE AND OR SERVICE DIESEL PARTICULATE FILTER (DPF)

EXHAUST SYSTEM L5P
CK20/30 SERIES PICKUPS

[]=INCHES

ANF42899.6

Full Size C/K HD Pickups and Chassis Cabs

Exhaust System L8T (Gas) C/K 31003 Series Chassis Cab



Full Size C/K HD Pickups and Chassis Cabs

Exhaust System L5P (Diesel) C/K 31003 Series Chassis Cab



Full Size C/K HD Pickups and Chassis Cabs

Exhaust System L8T (Gas) C/K 31403 Series Chassis Cab



EXHAUST SYSTEM CK31403 L8T (GAS)

[]=INCHES

ANB44495.27

Full Size C/K HD Pickups and Chassis Cabs

Exhaust System L5P (Diesel) C/K 31403 Series Chassis Cab



Full Size C/K HD Pickups and Chassis Cabs

Exhaust System L8T (Gas) C/K 31403 Series Chassis Cab



Full Size C/K HD Pickups and Chassis Cabs

Exhaust System L5P (Diesel) C/K 31403 Series Chassis Cab



Full Size C/K HD Pickups and Chassis Cabs

Integrated – PTO 20/30 Series (MGU) Pickups & Chassis Cab